## MILCARB

## NOW ENTERING THE MOBILE MILCARB PORTAL

Welcome to a new dimension of beverage gas intelligence

**BEVERAGE GAS** 

INNOVATIONS | SYSTEMS | COMPONENTS

MILCARB.COM

// Automatic Gas Management

WIFI CONNECTED

@ 27% Et 3

Disconnect Valve

Battery Level

Run time controller alarm

0FF189%

Temperature 70° F

C Reset

AmbassadorPu...

Greektown

areercown NSOO1::AmbassadoPublitHouseNS

ast updated a few seconds ago

// Active Alerts

// Status Monitoring

// Service Notifications

// Inventory Management

// Remote Control

# **CONNECTED. ALL SYSTEMS GO.**

**Confidence. Awareness. Control.** The Milcarb Mobile Portal marks a turning point in the world of beverage gas — with an ecosystem of smart beverage gas tech now connected through one simple application.

With anytime, anywhere access to system status, it means a new dimension of awareness, service and efficiency for you and your customers — while the revenue and the beverages keep flowing.







## **CARBO-SWITCH** Seamless. Intelligent. Elegant.

Ensure your cylinder customer never loses gas during business hours and never has to pick up a wrench. Carbo-Switch monitors pressure and changes over to the back-up cylinder in seconds — and keeps you updated every step of the way.

- Manifolds 2, 3 or 5 high-pressure cylinders
- Last-cylinder trigger notifications
- Can auto-generate gas delivery

\* Patent Pending

#### **UNIT SPECS**

Dimensions: L 17.75" x W 3.25" x H 8.75" Weight: 13-17.75 lbs. (by model) Electrical: 120V 2A 60HZ Pressure: 100-125 PSI - Main 0-3000 PSI - Emergency



## **NITRO-SWITCH** Less downtime. More Money.

Introducing a next-gen solution for any beer system powered by a nitrogen generator. Nitro-Switch eliminates downtime and waste by detecting system issues and auto-switching to a back-up cylinder while alerting you immediately.

- Integrated kill-switch
- Compatible with N2U® or alternative generators
- Auto service notification
- Manages inventory data

\* Patent Pending

NITRO·SWITCH

BUINTIME ON

WHR C

WIFI CONNECTED

#### **UNIT SPECS**

Dimensions: L 15.75" x W 3.50" x H 11.20" (w/ antenna) Weight: 10 lbs. Flow Rate: 6.61 SCFM Electrical: 120 V 2 A 60 HZ Pressure: 80-125 PSI - Main 0-3000 PSI - Emergency

## **BULK-SWITCH** Top-tier service. Total control.

A hero of the Milcarb Switch Series; this advanced tech monitors pressure and triggers a kill switch whenever it drops — while simultaneously auto-shifting to a back-up cylinder. Operations continue without interruption and you know there's an issue before your customer does.

- Integrated kill-switch
- Monitors bulk and tank pressure
- Eliminates iced-tank incidents
- Cut-off Switch for payment issues

#### **UNIT SPECS**

Dimensions: L 15.75" x W 3.50" x H 11.20" Weight: 13-17.75 lbs. (by model) Electrical: 120V 2A 60HZ Pressure: 100-125 PSI - Main 0-3000 PSI - Emergency



# **WE ARE MILCARB**

With more than five decades in the beverage gas world, MilCarb has an established industry reputation. We innovate and customize. We're the guys you call by first name.

At the front lines of beverage gas evolution and in the trenches with customers — we're here to make you look good and make you money.

That's why we're in smooth-running beverage gas systems across the U.S.A.



### **BEVERAGE GAS**

### INNOVATIONS | SYSTEMS | COMPONENTS

888.562.0299 | SALES@MILCARB.COM | MILCARB.COM